AutoUpload Configuration and Free Areas


Configuration · https://toxicalldemo.com/docs/tox5/autoupload-configuration-and-free-areas/

The primary usage for AutoUpload is to submit data to the National Data Poison System (NPDS). While AutoUpload will support additional usage, this guide will walk through the NPDS Setup.


Configure AutoUpload Destination

This configuration will be completed in toxiCALL®. This can be performed before or after the installation of AutoUpload. toxiCALL® Administrator rights are required to complete this setup.


Select the AutoUpload section from the Navigation Bar.



Select AutoUpload Destination from the Navigation Bar.





From the Home Menu, Select New AutoUpload Destination.



Next, complete the form as suggested in the following screenshot.

Select Save & Close when complete







Update Mapping to Include Free Areas

With toxiCALL® 5, we introduced customized Free Areas. However, the original Free Areas 1 through 3F are still submitted to NPDS. Mapping values must be defined for each of the free areas. This process is straightforward, as illustrated below and is available to administrators.

From the Left Navigation panel, select Transfer Mapping.



From the Home menu of Transfer Mapping, select the "Populate Default NPDS Free Area Mappings" button.



There is no acknowledgement of the mappings. However, refreshing the data should show an increase in the number of mapping items.

Missing Free Area Mappings

If the Free Areas are not properly mapped to for NPDS submission, one or more detailed message will be presented as shown below. This can also result after new FreeAreas Data Items are not properly mapped.

Note that the custom free areas are not submitted to NPDS and do not require mapping for NPDS data submission.

Sample of error shown in the AutoUpload Viewer or Logs.

```
The 'FreeArea3D' element is invalid - The value 'cb55fab4-1c9b-4595-
ab3a-be1553b0be32' is invalid according to its datatype
'http://www.w3.org/2001/XMLSchema:integer' - The string 'cb55fab4-1c9b-
4595-ab3a-be1553b0be32' is not a valid Integer value.
System.Xml.Schema.XmlSchemaValidationException: The 'FreeArea3D'
element is invalid - The value 'cb55fab4-1c9b-4595-ab3a-be1553b0be32'
is invalid according to its datatype
'http://www.w3.org/2001/XMLSchema:integer' - The string 'cb55fab4-1c9b-
4595-ab3a-be1553b0be32' is not a valid Integer value.
 ---> System.FormatException: The string 'cb55fab4-1c9b-4595-ab3a-
be1553b0be32' is not a valid Integer value.
   --- End of inner exception stack trace ---The 'FreeArea3E' element
is invalid - The value '340fa634-de53-40ec-a49a-e8c1dfcb18e0' is
invalid according to its datatype
'http://www.w3.org/2001/XMLSchema:integer' - The string '340fa634-de53-
40ec-a49a-e8c1dfcb18e0' is not a valid Integer value.
System.Xml.Schema.XmlSchemaValidationException: The 'FreeArea3E'
element is invalid - The value '340fa634-de53-40ec-a49a-e8c1dfcb18e0'
is invalid according to its datatype
'http://www.w3.org/2001/XMLSchema:integer' - The string '340fa634-de53-
40ec-a49a-e8c1dfcb18e0' is not a valid Integer value.
 ---> System.FormatException: The string '340fa634-de53-40ec-a49a-
e8c1dfcb18e0' is not a valid Integer value.
   --- End of inner exception stack trace ---
```

Discover more from toxiCALL® 5 Updates

Subscribe to get the latest posts sent to your email.