




toxiCALL®

toxiCALL® Redesign Update

September 2022

toxiCALL®

toxiWEB™



toxiTRACK®

toxiCALL®
data ANALYSIS

**Computer Automation
Systems, Inc.**

Agenda

- Development Status
- ToxiCALL® Demo Website
- Development Process Flow Diagram
- Migration Update
- Criteria Builder
- Validation Module
- Multiple Exposures
- Database Selection/Configuration
- Reports & Dashboards
- In Development
 - Contact Tracking
 - Product Lookup Database
 - System Table Enhancements
- When can I upgrade?
- Q & A

Development Status

- Development continues
- Demo Versions Available
 - Connects to our database
- Migration Testing on the way
- User Feedback Welcomed
 - Email: Support@toxical.com
 - Include in Subject line: [#CAS025202]
- toxiCALL® Demo Details
 - <http://toxicaldemo.com>

toxiCALL® Demo Website

- Version Updates and Downloads
- Webinar Links
- Specifications
- Sample Architecture
- Development PFD
- Documentation
 - Migration
 - Application
 - toxiCALL® 4 FAQ
- ToxiWEB™ Demo Website

Home ▾

Documentation ▾

toxiWEB™ Demo Site

Contact

About Us

Request Demo Login
Account

Webinar Links

Specifications

toxiCALL® 5 Sample
Architecture

toxiCALL® 5 Development
PFD

toxiCALL® 5 Docs

toxiCALL® 5 Migration

toxiCALL® 4 FAQs


ToxicallDemo.com Website

Website overview of details and navigation

Development PFD

toxiCALL® 5 Process Flow Diagram


Thomas Neuman | September 24, 2022



Development PFD (cont.)

toxiCALL® 5 Process Flow Diagram

Thomas Neuman | September 24, 2022



Migration Update

- Internal Updates

- Many speed enhancements
- Better handling of historical Case Delta Details


- Database Size Review

- May be handled as a secondary database allowing better management of SQL Server storage needs

- Testing by Centers

- Required before going live
- Center data migration validation is required

Criteria/Filter Builder



Filter Editor

And

- Call Type Is any of Exposure
- Exposure.Outcome Is any of Minor effect
- Start Date Is the year-to-date period


[Call Type] In ('Exposure') And [Exposure.Outcome] And IsYearToDate([Start Date])

Name	Sca...
No effect	0
Minor effect	1
Moderate effect	2
Major effect	3
Death	4
Not followed, judged as nontoxic exposure (clinical effects not exp...	5
Not followed, minimal clinical effects possible (no more than minor eff...	6
Unable to follow, judged as a potentially toxic exposure	7
Unrelated effect, the exposure was probably not responsible for the ...	8
Confirmed nonexposure	9
Death, indirect report	10

- New, simplified Filter Editor
- Dropdown Selections, pick lists
- Simplified Textualized View

Criteria dropdowns for simplified data selection

- Summary at bottom of case list



☐ ☒ [Call Type In Exposure] And [Exposure.Outcome In Minor effect Moderate effect] And [Start Date Is last week] Edit Filter

Validation Module

Rules List

Inactive	Object Type Core	Rule Name	Source	Custom Message	Invert R...	Propertie...	Result	Source	Source	So...	Tox Inacti...
<input type="checkbox"/>	RBC	RBC	=	RBC	<input type="checkbox"/>	RBC	=	RBC	=	=	<input type="checkbox"/>
▼ Is Predecessor: Unchecked (Count=56)											
▼ Owner: (Count=56)											
▼ 1: (Count=3)											
<input type="checkbox"/>	Employee	NPDS-0067: Initial SPI Code...	0	NPDS-0067: Initi...	<input type="checkbox"/>	CreatedBy	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Free Area Item	NPDS-0201: Free Area Sca...	0	NPDS-0201: Free...	<input type="checkbox"/>	ScanCode	Error		0		<input type="checkbox"/>
<input checked="" type="checkbox"/>	Case	TESTING PregDuration Bet...	0	TESTING: If Preg...	<input type="checkbox"/>	Patient.P...	Error		0		<input type="checkbox"/>
▼ 1: Closed Cases (Count=5)											
<input type="checkbox"/>	Case	NPDS-0018: Call Type is req...	0	NPDS-0018: Call ...	<input type="checkbox"/>	CallType	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0023: Caller Zip Code...	0	NPDS-0023: Calle...	<input type="checkbox"/>	Caller.Zi...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0104: Caller State is r...	0	NPDS-0104: Calle...	<input type="checkbox"/>	Caller.St...	Error		0		<input type="checkbox"/>
<input checked="" type="checkbox"/>	Case	TESTING: Age Between 5 a...	0	TESTING: Age Be...	<input type="checkbox"/>	Patient....	Error		0		<input type="checkbox"/>
<input checked="" type="checkbox"/>	Case	ToInt: Age Between 5 and ...	0	ToInt: If Age is p...	<input type="checkbox"/>	Patient....	Error		0		<input type="checkbox"/>
▼ 1: Closed, Animal, Exposure Cases (Count=1)											
<input type="checkbox"/>	Case	NPDS-0211: If Species is An...	0	NPDS-0211: If Sp...	<input type="checkbox"/>	Reason	Error		0		<input type="checkbox"/>
▼ 1: Closed, Human or Animal, Exposure Cases (Count=15)											
<input type="checkbox"/>	Case	NPDS-0003: Age is required...	0	NPDS-0003: Age ...	<input type="checkbox"/>	Patient....	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0004: Age must be 1-...	0	NPDS-0004: Age ...	<input type="checkbox"/>	Patient....	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0009: If Age not is e...	0	NPDS-0009: If A...	<input type="checkbox"/>	Patient....	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0011: Only NPDS pati...	0	NPDS-0011: Only...	<input type="checkbox"/>	Patient.P...	Error		0		<input type="checkbox"/>
<input checked="" type="checkbox"/>	Case	NPDS-0029: Tx Option (Chr...	0	NPDS-0029: Tx O...	<input type="checkbox"/>	Exposur...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0030: Acuity (Exp Du...	0	NPDS-0030: Acui...	<input type="checkbox"/>	Exposur...	Error		0		<input type="checkbox"/>
<input checked="" type="checkbox"/>	Case	NPDS-0041: Acuity (Exp Du...	0	** This rule is not...	<input type="checkbox"/>	Exposur...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0042: Acuity (Exp Du...	0	NPDS-0042: Tx O...	<input type="checkbox"/>	Exposur...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0056: Caller Site Cod...	0	NPDS-0056: Calle...	<input type="checkbox"/>	CallerSit...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0083: Primary Center...	0	NPDS-0083: Prim...	<input type="checkbox"/>	PrimaryC...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0085: If Exposure Re...	0	NPDS-0085: If Ex...	<input type="checkbox"/>	Reason	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	NPDS-0000: Patient Type f...	0	NPDS-0000: Pati...	<input type="checkbox"/>	Patient.P...	Error		0		<input type="checkbox"/>

Validation Module (cont.)

- View Validation rules
- Clone/Disable CAS rules
- Show data in Rule Validation Note

Custom Rule Validation

Rule Name:* NPDS-0053: If patient is pregnant, age must be between 13 and 49 (Can Override)

Object Type Core:* Case ☐ Is Predecessor

Used Properties:* Patient.Age

Target Criteria:

And

Patient.Weeks Pregnant Is not null

Criteria:*

Or

Patient.Age Unit Is any of Teen 20s 30s 40s Unk

And

Patient.Age Unit = Years

Patient.Age Is between \$13.00 and \$49.00

Two ways to view & enter criteria

Predecessor Rule 1: Closed, Human, Exposure C...

Predecessor Rule 2: Can Override (NF)

Predecessor Rule 3:

Predecessor Rule 4:

Predecessor Rule 5:

Predecessor Rules reduce redundancy in criteria building

Tox Description:

Custom Message Template:*

NPDS-0053: If patient is pregnant, age must be between 13 and 49 (Can Override)

Age is: {TargetObject.Patient.Age} {TargetObject.Patient.AgeUnit}

Include case data to validation message

[Patient.Weeks Pregnant] Is Not Null

[Patient.Age Unit] In ('Teen', '20s', '30s', '40s', 'Unknown child (<=19 yrs)', 'Unknown adult (>=20 yrs)', 'Unknown age') Or [Patient.Age Unit] = 'Years' And [Patient.Age] Between(13.0m, 49.0m)

Validation Module (cont.)

● Predecessor Rules

▼ Is Predecessor: Checked (Count=10)											
▼ Owner: (Count=10)											
▼ 1: (Count=10)											
<input type="checkbox"/>	Case	Can Override (NF)	0	Can Override (NF)	<input type="checkbox"/>	Override...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	CE Cardio is required	0		<input type="checkbox"/>	CaseClini...	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed & Open Cases	0	Closed & Open C...	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed Cases	0	Closed Cases	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed, Animal, Exposure C...	0	Closed, Animal, E...	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed, Human or Animal, E...	0	Closed, Human o...	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed, Human, Exposure C...	0	Closed, Human, ...	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Closed, Information Cases	0	Closed, Informati...	<input type="checkbox"/>	Status	Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case Substance	Substance: Closed, Human ...	0	Substance: Close...	<input type="checkbox"/>		Error		0		<input type="checkbox"/>
<input type="checkbox"/>	Case	Testing FA	0	Testing FA	<input type="checkbox"/>	FreeAreas	Error		0		<input type="checkbox"/>

Search for Primary Case

- Additional Enhancements coming to support many cases

Type: Case

Find: Search

Available records:

Case Nu...	Caller	Patient	Call Type	Re...	Expos...	Calle...	Caller SI...	Star...	Primary...	Worksta...	Proc...	Is Current User Admi...
109	ER Physician ...	Beta Acrobat,...	Exposure	In...	Own...			02/27/...	OR - O...		0	<input checked="" type="checkbox"/>
107	example		Exposure	In...	Own r...			02/23/...		WC5V6...	21,6...	<input checked="" type="checkbox"/>
78	Web Sample	web samples, ...	Exposure	Ad...	Public ...		Hoboke...	02/22/...			0	<input checked="" type="checkbox"/>
104	Testing MDXL...	Testing MDXL...	Exposure					02/13/...			0	<input checked="" type="checkbox"/>
79	Ferd Berfel (...)	Sparkle Farkle...	Exposure	Un...	Public ...	Publi...		12/10/...			0	<input checked="" type="checkbox"/>
75								09/15/...		WC5V6...	23,5...	<input checked="" type="checkbox"/>
72	KeyCut Test		Media requ...					07/26/...			0	<input checked="" type="checkbox"/>
71	FreeArea Test	Modifying a Cl...	Media requ...					07/26/...			0	<input checked="" type="checkbox"/>
70	Note test		Media requ...					07/26/...			0	<input checked="" type="checkbox"/>

New

Copy Primary Case Data

Some fields already contain values. Please select items to be copied using the 'Overwrite' field.
All collections are copied by default. In the 'Additional Options' tab you can select which collections should be copied.

Information:

Lines (27) Additional Options

Field	Old Value	New Value
Group: Caller (Count=7)		
First Name	Alfred	<input checked="" type="checkbox"/> Caller
Last Name	Clause	<input checked="" type="checkbox"/> Caller
Phone	(303)-555-1212	<input checked="" type="checkbox"/> Caller
Address	7233 S. Richfield St.	<input checked="" type="checkbox"/> Caller
Alt Phone 1	Alt Phone 1	<input checked="" type="checkbox"/> Caller
Alt Phone 2	Alt Phone 2	<input checked="" type="checkbox"/> Caller
Alt Phone 3	Alt Phone 3	<input checked="" type="checkbox"/> Caller
Group: Case (Count=6)		
Call Type	Exposure	<input checked="" type="checkbox"/> Case
EMR	EX-123456	<input checked="" type="checkbox"/> Case
Followup Date	1/1/0001 12:00:00 AM	<input checked="" type="checkbox"/> Case
Start Date	9/24/2022 2:03:40 PM	<input checked="" type="checkbox"/> Case
Override Flag	False	<input checked="" type="checkbox"/> Case
Industry Case	False	<input checked="" type="checkbox"/> Case
Group: Case Exposure (Count=4)		
Exposure Zip	80011	<input checked="" type="checkbox"/> Case Exposure
Exposure Time Unit	Day(s) ago	<input checked="" type="checkbox"/> Case Exposure
Exposure Time	0	<input checked="" type="checkbox"/> Case Exposure
Exposed On Estimate	1/1/0001 12:00:00 AM	<input checked="" type="checkbox"/> Case Exposure
Group: Patient (Count=10)		
Address	TomUser	<input checked="" type="checkbox"/> Patient
Pat Type	Human	<input checked="" type="checkbox"/> Patient
Gend	Male	<input checked="" type="checkbox"/> Patient
Age Unit	Years	<input checked="" type="checkbox"/> Patient
Weight Unit	kg	<input checked="" type="checkbox"/> Patient
Phone	(720)-555-1212	<input checked="" type="checkbox"/> Patient
Age	0	<input checked="" type="checkbox"/> Patient
Weight	0	<input checked="" type="checkbox"/> Patient
First Name	New	<input checked="" type="checkbox"/> Patient
Last Name	Patient	<input checked="" type="checkbox"/> Patient

☐ Select All ☐ Clear All

OK Cancel


Lines (27) Additional Options

- ☒ Copy Clinical Effects
- ☒ Copy Therapies
- ☒ Copy Scenarios
- ☒ Copy Routes
- ☒ Copy Free Areas
- ☒ Copy Free Area Texts
- ☒ Copy Substances
- ☒ Copy Notes

Choose Data to Add

Database Selection/Configuration

- Easily switch between databases. E.g.
 - Testing, Training, Production, Demo



Logon Parameters

User Name:

Password:

Database Name: ToxiNetWebDemo

Server Name:

Version Number: 5.0.8259


Connection String:

Version Number:

Tom Local SQL2017 Testing ToxiNetWin

TomRemote_All

Multiple Database Selection
(Only shows if more than one dB is configured)



Database Selection

Connections

Name	Description	Tox5	Tox4	Server	
toxiCALL@...	CAS provide...				Set As Default
Tom Local...	Local datab...				Add
TomRemote...	Test of all d...				Delete

Selected Connection String

Title:

Server Name:

Description:

Log on the server

☐ Use Windows Authentication ☒ Use SQL Server Authentication

User Name:

Password:

Additional Parameters:

Select databases to update application connection strings


Select a Tox4 database:

Select or enter a Tox5 database:

Reports & Dashboards

- Clone CAS Report/Dashboard
 - Customize CAS reports & dashboards to meet specific needs
- Share with other poison centers
 - Export & import report layouts you can shared with other centers
- Future: Updates through system tables
 - New reports & dashboards can be made available without updating toxicALL®
- Attach Search Criteria (in development)

Open Reports w/Designer



The screenshot displays the Report Designer application window titled 'arCaseDetail (Copied - 11/17/2021, 09:59:32)* - Report Designer'. The interface features a ribbon with tabs: Home, Layout, Page, and View. The 'Home' tab is active, showing options for Report, Data, Clipboard, Font, Alignment, Borders, and Styles. The main workspace shows a report layout with sections: Patient Information, Caller Information, Exposure Information, and General Information. Each section contains various data fields with selection icons. Two green callout boxes are overlaid on the report: one pointing to the 'Report Object Types' (the sections themselves) and another pointing to the 'Data Field Selections' (the individual fields within the sections). On the right, the 'Report Explorer' pane shows the report structure, including 'ArCaseDetailReport', 'TopMargin', 'GroupHeader1', 'Detail', and several 'DetailReport' objects. The 'Properties' pane at the bottom right shows settings for the selected report object, including Background Color, Border Color, Border Dash Style, Border Width, Borders, and Font. A 'Group and Sort' pane is also visible at the bottom left, showing options to add groups and sorts, and a table for field names, sort orders, and header/footer visibility.

Open Reports w/Designer (cont.)

▼ GroupHeader1 (Level 0)

Center Name: Replace([Center Code].[Name], [Case Number])

Case Number: [Case Number]

Center Code [Center Code]

▼ Detail

Patient Information	Caller Information	Exposure Information
Name: [Patient].[Full Name]	Name: [Caller].[Full Name]	Call Type: [Call type].[Category] + - +
Phone: [Patient].[Phone]	Phone: [Caller].[Phone]	Acuity: [Exposure].[Acuity].[Category]
Email Add: [Patient].[Email Address]	Email Add: [Caller].[Email Address]	Exposure Duration: [Exposure].[Duration].[Name]
Address 1: [Patient].[Address Line]	Address 1: [Caller].[Address Line]	Exposure Reason: [Reason].[Name]
Address 2: [Patient].[Address Line]	Address 2: [Caller].[Address Line]	Exposure Site: [Exposure Site].[Name]
City, State, Zip: Concat([Patient].[City], [State], [Zip])	City, State, Zip: Concat([Caller].[City], [State], [Zip])	Caller Site: [Caller Site].[Name]
PMD: [Patient].[PMD Name]	Country: [Caller].[Country]	Caller Site Name: [Caller Site Code]
PMD Phone: [Patient].[PMD Phone]	Relation To Pat: [Caller].[Rel].[Name]	Multiple Case Code: If(IsNullOrEmpty([Primary Case Code]), [Multiple Case Code], [Primary Case Code])
Species: [Patient].[Pat Type]	Multiple Patients: [MultiplePatientsYes]	Priority: [Priority].[Name]
Animal Type: If([Patient].[Pat Type] = 'Human', 'Human', [Pat Type])	Time of Exposure: [Exposure].[Exposure Time]	Industry Case: [IndustryCaseYesNo]
Gender: [Patient].[Gend].[Name]	Number of Substances: [Substances].[Count]	Follow-up Number: [Followup Num]
Preg Duration: [Patient].[Weeks Pre]		
Age: [Patient].[Age] + ' ' + [Age Unit]		
Weight: [Patient].[Weight] + ' ' + [Weight Unit]		

General Information	
Center Code: [Center Code].[Code]	Medical Outcome: [Exposure].[Outcome].[Name]
Initial SPI Code: [Created By].[Full Name]	Clinical Effects Duration: [Exposure].[Acuity].[Lookup Code]
Current SPI Code: [Modified By].[SPICode]	Primary Center: [Primary Center].[Name]
	Override Flag: [OverrideFlagYesNo]
Case Start Date: [Start Date]	Therapy Opinion: [Exposure].[Tx Option].[Name]
Management Site: [Exposure].[Management Site]	Initial HCF: [Exposure].[Initial HCF].[Name]
Enroute to HCF: If(Contains([Exposure].[Manager], 'Enroute'), 'Enroute', 'No')	Final HCF: [Exposure].[Final HCF].[Name]
Referred to HCF: If(Contains([Exposure].[Manager], 'Referred'), 'Referred', 'No')	

Routes of Exposure:	Clinical Effects:	Therapies:
[Route Names]	Replace(Replace(Replace([Clinical Effect Names], 'R'), 'C'), 'E')	[Therapy Names]

Scenarios: [Scenario Names]

► DetailReport1

► DetailReport7 - "Free Areas"

► DetailReport8 - "Free Area Texts"

► DetailReport - "Substances"

► DetailReport10 - "Files"

► DetailReport3 - "Notes"

► DetailReport5 - "Notes"

► DetailReport6 - "Assessments"

► DetailReport9 - "Lab Tests"

▼ PageFooter [one band per page]

Toxicall® Report Module v + [ApplicationVersion]

Report: [arCaseDetail] ('Printed:' + Now())

Report Page: 1


Case Page: 1

Data Fields

Report Sections


Headers & Footers

Open Dashboards w/Designer




Submit your Suggestions & Requests

- Pivot Table
- Data Grid
- Bar, Scatter, Pie Charts
- Cards
- Maps



Open Dashboards w/Designer (cont.)



The screenshot displays the Dashboard Designer interface with the following components:


- Top Bar:** Includes icons for file operations and tabs for Chart Tools and Dashboard Designer.
- Home Tab:** Features a ribbon with various visualization options: Pivot, Grid, Chart, Scatter Chart, Pies, Gauges, Cards, Treemap, Choropleth Map, Geo Point Maps, and Images.
- Data Source:** A dropdown menu set to 'Object Data Source 1'.
- Data Items:** A list of fields including Caller Location Code, Case ID, Clinical Effect Names, Current Employee, Display Name, EMR, Followup Note, Route Names, Scenario Names, Therapy Names, Web PC Number, Created On, Followup Date, Migrated Back On, Migrated On, Modified On, Network Current Date, Start Date, All Notes Redacted, Industry Case, Is Current User Admini..., Is Locked By Another U..., and Multiple Patients.
- Values (Pane 1):** A section for defining data items, including Case ID (Count) and Value.
- Arguments:** A section for defining arguments, including Name and Argument.
- Series:** A section for defining series, including Series.
- HIDDEN DATA ITEMS:** A section for hidden data items, including Dimensions and Measures.
- Dimensions:** A section for defining dimensions, including Dimension.
- Measures:** A section for defining measures, including Measure.
- Dashboard Content:**
 - Cases Example Dashboard (cloned):** The main dashboard area.
 - Cases per Reason:** A bar chart showing the number of cases for different reasons.
 - Cases by Outcome:** A pie chart showing the distribution of cases by outcome. The legend includes: Minor effect: 12.00%, Moderate effect: 4.00%, No effect: 2.00%, Not followed, judged as nontoxic..., Unrelated effect, the exposure wa..., and Not followed, minimal clinical effects possible (n...).
 - Pivot 1:** A pivot table showing data for Female, Male, and Unknown categories. The table includes rows for Minor effect, Moderate effect, No effect, Not followed, jud..., Not followed, mini..., Unable to follow, ..., and Unrelated effect,
 - Cases per Year:** A table showing the number of cases for the years 2009, 2010, 2011, and 2020.

Annotations in the image highlight specific features:

- Multiple View Styles:** A green callout pointing to the various visualization options in the Home tab.
- Data Fields:** A green callout pointing to the Data Source and Data Items sections.

License Module

License Information



CAS Demo Azure Hosted - Toxicall@ License Information/Authorization

License Information

Server Name: toxinetwebdemo.database.windows.net

Database Name: ToxiNetWebDemo

Description: CAS provides this Azure hosted DEMO database allowing users to explore toxicALL

Licensed To: CAS Demo Azure Hosted

Center Code: 985

Expiration Date: 10/31/2022

Days Remaining: 35

License Status: Authorized


License Request

Request License Apply License

For questions or assistance with your license, please contact
Computer Automation Systems, Inc. at 855-TOXICAL (869-4225) Toll Free or
303-680-7774 or Support@Toxicall.com

Close Configure Connection

Request email & Reason



CAS Demo Azure Hosted - Request License

License Form Request Entry

Center Code: 985

Center Name: CAS Demo Azure Hosted

Current Logon User: TomAdmin

Email Address: neumanta@aol.com

Request Reason: N/A

Automatic email alert notifications

Identify reason for license request

OK Cancel

Future support for High Availability Server Failover

In Development

Contact Tracking

- Notes allow Contact details
- Additional Contact Elements
 - Relation to patient
 - Contact Source (Call in/out, text, email, etc.)
 - Contact Type (Tox Consult, Patient Update, Nurse Update, etc.)
 - Contact Details (Phone, email, etc.)

Product Lookup Database

- Easily switch between Micromedex®, your database, and other databases sources*
- Internally create your own product database
- Minimize the need for lookup in External databases for frequently recurring substances

*Alternate database sources to be evaluated.

System Table Enhancements

- Reports
- Dashboards
- Search Criteria
- Validation Rules

Release Date?

● Poison Center Requirements

- Complete Migration Testing
- Perform internal testing
- Evaluate Functional Needs
 - Review the [Development PFD](#)

● Based on poison center needs

Access the Demo Version

- Schedule Demo Setup Session
 - <http://schedule.toxicall.com>
 - Choose Demo Setup
- Uses CAS Demo Database
- Requires account setup
- Can use Windows and Web versions
 - Web does not implement case locking
- Windows Installation may require your IT support

toxiCALL® Resources

- toxiCALL® Demo Details
 - <http://toxicalldemo.com>
- Schedule Support or Training
 - <http://schedule.toxicall.com>
- toxiCALL® Discussion Forums
 - <http://forums.toxicall.com>
 - Work Groups will be hosted in the forums
- Email List Signup
 - <http://signup.toxicall.com>
- Support Email
 - support@toxicall.com

Questions

Support Services

Support Portal

Help Documentation



Email



Telephone



Online Chat



Discussion Forums



Training Videos



- Telephone
- Screen Share
- Email
- Online Chat
- Online Help Documentation
- Online Discussion forums





toxiCALL®



COMPUTER • AUTOMATION • SYSTEMS, INC.

WEBSITE: WWW.TOXICALL.COM

EMAIL: SUPPORT@TOXICALL.COM

PHONE: 855-TOXICAL

toxiCALL® toxiWEB™

toxiTRACK® toxiCALL®
data ANALYSIS

Computer Automation Systems, Inc.
© 2022 All rights reserved